

ABSTRACT ATTACHED

(19) 日本国特許庁 (J P)

(12) 公開特許公報 (A)

(11) 特許出願公開番号
特開2000-83868
(P2000-83868A)

(43) 公開日 平成12年3月28日 (2000.3.28)

(51) Int.Cl.

識別記号

F I

キーワード (参考)

A 4 7 K 17/02

A 4 7 K 17/02

Z 2 D 0 3 7

審査請求 未請求 請求項の数 1 書面 (全 2 頁)

(21) 出願番号 特願平10-299035

(22) 出願日 平成10年9月14日 (1998.9.14)

(71) 出願人 397009417

永島 益次郎

群馬県多野郡吉井町吉井川208

(72) 発明者 永島 益次郎

群馬県多野郡吉井町吉井川208


F ターム (参考) 2D037 EB01

(54) 【発明の名称】 トイレの回りに、紙おむつの様な布地の 物などを敷く、品物です。

(57) 【要約】 (修正有)

【課題】 トイレの回りを出来るだけ清潔にする。

【解決手段】 カーペットの中に、トイレ用の穴を設けて、向こう側に差し込みの部分設ける。



【特許請求の範囲】

【請求項1】 トイレの回りに品物を敷く物です。

【発明の詳細な説明】

トイレの回りに、紙おむつの様な布地や紙やビニールやナイロンやあるいは、布か絨毯等を敷いて使用する、洗濯できる物や使い捨ての物です。

【図面の簡単な説明】


【図1】 品物を示した平面図である。

【図2】 品物を示した側面図である。


【符号の説明】

- 1 品物の部分
- 2 便器の部分
- 3 差し込みの部分

【図1】



【図2】



(19)



JAPANESE PATENT OFFICE

PATENT ABSTRACTS OF JAPAN

(11) Publication number: **2000083868 A**

(43) Date of publication of application: **28.03.00**

(51) Int. Cl.

A47K 17/02

(21) Application number: **10299035**

(71) Applicant: **NAGASHIMA MASUJIRO**

(22) Date of filing: **14.09.98**

(72) Inventor: **NAGASHIMA MASUJIRO**

(54) **RUG MADE OF PAPER DIAPER-LIKE CLOTH
SPREAD AROUND TOILET BOWL**

stained, the toilet bowl 2 is kept clean at all times by washing or disposing of it.

(57) Abstract:

COPYRIGHT: (C)2000,JPO

PROBLEM TO BE SOLVED: To keep the periphery of a toilet bowl clean at all times by arranging a rug that is made of a fabric like a paper diaper, a vinyl or an appropriate cloth or the like and that is washable or disposable in the periphery of a toilet bowl in a toilet.

SOLUTION: A rug that is made of a vinyl, an appropriate cloth or the like in addition to a fabric like a paper diaper and that is washable or disposable, is arranged in the periphery of a toilet bowl 2 in a toilet. And an insertion portion 3 is arranged in the part behind the toilet bowl 2 of the rug 1, and with the insertion portion 3 split, the rug 1 is spread in a state of surrounding the toilet bowl 2, the insertion portion 3 is inserted and joins the split portions of the rug 1, thereby surrounding the periphery of the toilet bowl 2 in the toilet by the rug 1, and when the rug is

